ROOF LANTERNS & ROOFLIGHTS



Wiki Windows

YOUR MANUFACTURING SPECIALIST



Make the most of the natural light

Create your dream extended living space with our rooflights and lanterns.

Maximise the potential of your room with the addition of a roof lantern or rooflight from Eurocell.

Featuring clean lines, modern aesthetics, and unimpeded views, our precision crafted Iconiq, Skypod and Luma options boast a variety of frame and glass selections, accompanied by a reassuring 10-year guarantee.

Join us on a journey to discover how these exceptional products can unlock the full potential of your home, creating spaces that reflect your lifestyle and add value to your home.

CONTENTS

Iconiq Aluminium Roof Lanterns	4
Skypod uPVC Roof Lanterns	8
Skypod Plus Roof Lanterns	12
Roof Lantern Comparison Chart	13
Luma Flat Rooflights	14
Colours & Glazing Options	16
Guarantees	17
Installers in Mind	18
Technical Information	20





The aluminiumrooflantern

rev ol utio n

Iconiq combines engineering excellence with unmatched innovation. Our prestigious aluminium roof lantern is a game changer. Iconiq delivering the perfect balance of style, performance and simplicity.

Iconiq's sleek, modern design adds a stunning visual element to any home, whether you're adding to an existing space or creating something entirely new, Iconq is the ideal addition. It complements both modern and traditional interiors and fits seamlessly into any renovation project.

With a choice of frame colours and glazing options Iconiq can be personalised to suit every style.

Contemporary

design

Imagine your room bathed in the soft glow of natural light all day. Iconiqs perfect blend of sleek architectural structure and 25° pitch allows maximum light to flow through the lantern, illuminating the space below, reducing the need for artificial light and creating a welcoming and relaxing atmosphere. Iconiq is available in either Matt Black, White or Matt Anthracite Grey as standard, with the option to order in any RAL colour for a more personalised finish, meaning that Iconiq won't be beaten on style.

Plus, with an integrated LED lighting tray, you can add lights for a truly personalised feel.



Complete pe ace ofmind



Leading the way with a host of security features, Iconiq boasts bespoke glazing clips to secure the glass firmly in place, and interlocking eaves beams and rafters couple together ensuring they can't be pulled apart.


Plus, a tapered frame edge and anti-tamper screws lock the end caps in place. Making Iconiq the perfect choice for security conscious homeowners.


ICONIQ

Aluminium roof lantern

At the heart of Iconiqs innovative design is a glass-reinforced plastic (GRP) thermally efficient ring beam and patent pending Q-loks.

Together they create an insulating barrier that protects against heat transfer and locks in more warmth than a traditional thermally broken lantern. Combined with 28mm energy efficient double glazing, with a U-value of 1.0*, Iconiq is the most thermally efficient roof lantern available.





A unique, purpose-designed integral drainage system prevents water ingress via the crown moulding and ensures that any captured moisture freely drains away for added reassurance.

**centre pane*



Engineering excellence combined with a superior GRP ring beam deliver a high strength to weight ratio, allowing Ico sizes to range from 1m x 1m up to a breathtaking 4m x 10m* Making Iconiq the largest lantern available on the marke and a perfect choice for any size project.

Embrace creativity and think beyond the ordinary when designing your space. choosing two square lanterns instead one large lantern makes a stunning style statement.


Choose your size and style




Up to 1.75m x 1.75m



Up to 1.75m x 3m




Up to 1.75m x 7.75m





Up to 3.5m x 3.5m



Up to 4m x 10m*

**where the ridge length doesn't exceed 6m*

SKYPOD





Aspirational living spaces

Go large to create an impressive feature on your flat roof – maximising the natural light in your room

Make yourhome a star

Imagine creating a stylish new living space that's flooded with natural light. Imagine an inspiring contemporary design feature that will not only enhance your lifestyle but add value to your home too. Skypod is our original uPVC roof lantern that has been leading the way for roof lantern design since it's launch in 2013.

The Eurocell Skypod pitched roof lantern system enables you to create an eye-catching, contemporary feature that floods the interior of a property with natural light. It brings life and freshness to uninspiring flat-roofed buildings, and makes a stunning alternative to conventional conservatory roofs.

Skypod roof lanterns add height, light and volume to any living space. They are the perfect choice for a wide range of refurbishment, extension or new-build projects including reception areas, classrooms, orangeries, kitchen-diners and garage conversions.

SKYPOD

Styles to suit e ve ry home

Skypod is available in a wide range of sizes and styles, so you can create a lantern roof that complements the individuality of your home. Skypod is suitable for a wide range of projects such as flat-roofed extensions, orangeries, new builds, kitchen-diners and garage conversions. Go large to create an impressive feature on your flat roof – maximising the natural light in your room.



SKYPOD




SQUARE SHAPED



SKYPOD PLUS

Choose your size and style



Up to 1.5m x 2.75m

Up to 1.5m x 7.45m

Up to 2.75m x 8.7m

Up to 2.75m x 2.75m

Up to 1.5m x 1.5m

A perfect square



The alternative to a single span rectangular rooflight, our square lantern roof offers perfectly balanced sightlines and, thanks to its simple 4-hip design, higher levels of natural light than conventional designs of the same surface area. Because it can be produced in sizes right down to 0.5m× 0.5m, this means that even the smallest flat roofs can still benefit from day long natural light.

Whatever the size, Skypod squares up

Whether you're looking for a small rooflight or large gazebo-style lantern roof, there's a solution for you. Our dedicated frame system means that rafter bars line-up perfectly, whatever the size.

Perfect for home extensions

Looking to extend? Make a stunning feature of a flat roof with Skypod.



SKYPOD PLUS

Theeasywaytoadd more cl as s to your glass roof

Skypod Plus is a cost-effective way to utilise the benefits of a uPVC roof lantern with the premium finishing touches in aluminium.
Available in Black, White and Grey. This sleek, modern roof lantern has been designed to meet the demands of design-conscious buyers.

If you want to let more natural light into your flat roof extension or garage conversion, but also want a contemporary design that works in harmony with your living space, then Skypod Plus is the perfect solution.









Premium finish

Because we've used a uPVC frame with aluminium ridge and top rafter cappings, you can have the best of both worlds. The lower cost of uPVC with the look and feel of an aluminium roof lantern. Skypod Plus offers a premium quality finish, for years of faithful service.


Multiple design options

Eurocell Skypod Plus is available in a range of stylish options, helping you make light work of the most demanding design and installation requirements.

Roof lantern comparisons

	Iconiq	Skypod	Skypod Plus
Aluminium & GRP Frame	●	○	○
uPVC Frame	○	●	●
uPVC aluminium capped frame	○	○	●
Slimline Profile	●	○	○
Integrated drainage	●	○	○
Integrated LED tray	●	○	○
Span sizes*	4m x 10m	2.75m x 8.7m	2.75m x 8.7m
U-Value**	1.1	1.0	1.0
Choice of frame colours	●	●	●
Choice of glass	●	●	●

***up to ** with toughened laminated glass**



LUMA

Luma flat rooflights are elevated, fixed shut, flat roof windows with a sleek and contemporary look.

And, unlike roof lanterns, there are no bars across the glass to interrupt your view of the sky or cast shadows across your room.

They're the perfect way to flood your home with natural light. So, whether you're planning a new flat roof extension or want to breathe life into an existing one, adding Luma flat rooflights will totally transform the space.

Exce ll en t


energy efficiency

Luma's aluminium frame has an integrated thermal break, which reduces heat transfer. And it's available in double-glazed and triple-glazed options, with U-values of 1.3 W/m^{2}K for double and 0.92 W/m^{2}K for triple-glazed. So, you'll stay cool in summer and warm in winter and save money on energy bills.



Secured from the inside

Interior fixings allow Luma to be secured internally for an added layer of security.



Slimline modern profile with sleek seamless glazing


Luma's sleek aluminium frame and unique glazing tape mean there are no chunky frames or painted borders. And there are no bars across the glass to impede your view either. The inside is beautifully finished with a PVC plasterboard trim. The result is minimal framework and maximum daylight.

Integral drainage system

The outer frame includes a unique drainage system that allows moisture to drain away outside for added reassurance.

High performance self-cleaning glass

Lumafeatures self-cleaning glass. It has a special coatingthat uses UV rays to break down organic matteronthe surface, which then washes away whenitrains. So, the glass stays cleaner for longer, andtheneed for regular washing is significantly reduced.



COLOUR AND GLAZING

Colour your world

Iconiq frame colours



MATT BLACK
White interior

MATT BLACK
Matt Black interior

MATT ANTHRACITE GREY
White interior

MATT ANTHRACITE GREY
Matt Anthracite Grey interior

WHITE
White interior

ANY RAL**


Skypod frame colours



ANTHRACITE GREY
White interior

ANTHRACITE GREY
Anthracite Grey interior

WHITE
White interior



GOLDEN OAK
White interior

ROSEWOOD
White interior

MOONDUST GREY
White interior

Skypod Plus frame colours



MATT BLACK
White interior

MATT BLACK
Matt Black interior*

GREY
White interior



GREY
Grey interior*


WHITE
White interior

Luma frame colours



MATT BLACK

ANTHRACITE GREY



WHITE

ANY RAL*

Glass colours

Create a roof lantern or rooflight that complements the individuality of your home with our range of glass options.

Self-cleaning, temperature-controlled glass is included as standard, but you can also choose from one of our tinted glass options. Tinted glass still allows the light to flood in but reduces uncomfortable glare when the sun hits the glass.

CLEAR
Toughened or Laminated

BLUE
Toughened or Laminated

NATURAL
Toughened or Laminated

BRONZE
Toughened

AQUA
Toughened

* Black and grey internal finishes on Skypod Plus are produced by a spraying process.
**If you're looking for something a little more bespoke, Iconiq and Luma can be sprayed with any RAL colour at an additional charge.

GUARANTEES

Peace of mind

Included as standard
10 YEAR
10-year guarantee on Skypod roof lantern profile

10 YEAR
10-year guarantee on Iconiq roof lantern profile

10 YEAR
10-year guarantee on Luma laminated rigid uPVC products

10 YEAR
10-year guarantee on the glass for Iconiq, Skypod & Luma

Our high quality st an dards

Eurocell plc is the UK's leading manufacturer, distributor and recycler of uPVC window, door, conservatory and roofline systems, offering the widest product range of any single brand.

- **All Eurocell products are manufactured to stringent specifications in a carefully controlled environment where high standards can be maintained and guaranteed. To give customers the assurance that all Eurocell products meet the highest standards, we have achieved accreditations from leading UK certification bodies.**
- **Eurocell products meet the requirements of current Building Regulations, and exceed the standards set out in Part L1 and 2 Conservation of Fuel & Power (W indows).**
- **As new regulations are introduced, Eurocell remains committed to meeting and exceeding these ever more demanding standards, so that we continue to set the quality benchmark for the building plastics industry.**



INSTALLERS IN MIND

We understand that time is money, and fast and simple installation is key to delivering customer satisfaction. That's why all of our roof lanterns and rooflights feature time saving design elements.

Iconiq

Iconiq's genius patent pending Q-lok technology reduces the need for mechanical fixings and ensures precision connections every time. The simple slide and lock mechanism makes installation simple and efficient and means that standard size lanterns can be installed in under an hour.



Watch Iconiq's innovation



Rapid-fit slide & lock connections



Fit together in seconds



Minimal fixings


Skypod & Skypod Plus

Skypod and Skypod Plus are delivered pre-cut and all screw holes are pre-drilled ensuring a precision-fitted watertight lantern roof. The sleek architectural design means there are no fussy ridge crestings or finials to fit.



Luma Flat Rooflights

Luma flat rooflights are made-to-measure in our factory and delivered straight to site at a time that suits you. Easy to install with no fuss and no mess.



Our service promise to you

We know how important it is to you to keep your customers happy. That's why we take great pride in consistently providing a friendly, approachable service to make finding and getting what you and your customers need quick and easy.

Customer first
Whatevervou need, we're here to help.

Fast quotes
Receive adetailed, personalised fast quote.

Technical support line
Need help? Our expert team is just a call away.

Assisted s u r veys
Need asite survey? We'll arrange for an engineer to assist.

Order checking
Every orderis checked before delivery, so you can get straight to work.

Lead times to suit you
Tell us when you need it and we'll make sure it arrives on time.

Assisted installations
Need installation support? We'll arrange help on-site.


Always a solution
No matter the project, we have a roof lantern to fit.

1. Applies within normal office working hours: Mon-Fri 8.30 - 17.00




Skypod Technical Information


COMPONENTS




CRS 9240
Skypod
3-bar top cap




CRS 9241
Skypod
2-bar top cap




CRS 9242
Skypod Square
spider top cap




CRS 9423
Skypod Square
sealing plate




CRS 9521A
Skypod
3-bar spider bracket




CRS 9522A
Skypod
2-bar spider bracket




CRS 9523A
Skypod Square
spider bracket



CRS 9248
Skypod
3-bar bottom cap




CRS 9249
Skypod
2-bar bottom cap



CRS 9250
Skypod Square
spider bottom cap

Spider bracket
screws
CRS 8626S
CRS 9626S





CRS 9421
Skypod
foam bung




CRS 9422A
Skypod
foam bung sealing plate



CRS 9520A
Skypod
ridge body



CRS 8625
Single variable
support stud



CRS 8624
Double variable
support stud



CRS 9200
Skypod
screw cap covers



CRS 8501A
Standard rafter



CRS 8016
25mm
rafter top cap



CRS 8011
Rafter bottom cap



CRS 8502A
Edwardian hip




CRS 8017
25mm Edwardian
hip top cap



CRS 8012
Hip bottom cap



CRS 9550A
Skypod
eaves 20˚



CRS 9552A
Skypod
thermally broken
eaves beam 20˚



CRS 9934
Skypod
boss kit



CRS 8053
Eaves beam seal




CRS 8056
25mm
Glazing end trim




CRS 8024
24/25mm ridge
glazing trim



CRS 8654
90˚ eaves
beam cleat



CRS 9201
Skypod
rafter end cap



CRS 9202
Skypod
hip rafter end cap



CRS 8211
Glazing stop
(CRS8628Glazing
stop screws)




CRS 9611S
Stainless steel
glazing stop
(CRS8628Glazing
stop screws)


ASSEMBLIES

Ridge assembly


Powder-coatedaluminium, thermally broken




Hip assembly



Rafter assembly




Ring beam on kerb assembly




Skypod Plus Technical Information


COMPONENTS




CRS 9240
Skypod
3-bar top cap




CRS 9241
Skypod
2-bar top cap




CRS 9242
Skypod Square
spider top cap




CRS 9423
Skypod Square
sealing plate







CRS 9521A
Skypod
3-bar spider bracket




CRS 9522A
Skypod
2-bar spider bracket




CRS 9523A
Skypod Square
spider bracket



CRS 9248
Skypod
3-bar bottom cap



CRS 9249
Skypod
2-bar bottom cap



CRS 9250
Skypod Square
spider bottom cap

Spider bracket
screws
CRS 8626S
CRS 9626S



CRS 8516A
Skypod Plus
aluminium rafter
top cap



CRS 9421
Skypod
foam bung




CRS 9422A
Skypod
foam bung sealing plate



CRS 9520A
Skypod
ridge body



CRS 8625
Single variable
support stud



CRS 8624
Double variable
support stud



CRS 9200
Skypod
screw cap covers



CRS 8501A
Standard rafter



CRS 8010
Skypod Plus
thermal break for
aluminium top caps




CRS 8011
Rafter bottom cap



CRS 8502A
Edwardian hip



CRS 8517A
Skypod Plus
Aluminium
hip top cap



CRS 8012
Hip bottom cap



CRS 9550A
Skypod
eaves 20˚



CRS 9552A
Skypod
thermally broken
eaves beam 20˚



CRS 9934
Skypod
boss kit




CRS 8411G
Skypod Plus
aluminium
top gasket



CRS 8053
Eaves beam
seal




CRS 8056
25mm Glazing
end trim




CRS 8024
24/25mm ridge
glazing trim



CRS 8654
90˚ eaves
beam cleat



CRS 9201
Skypod
rafter end cap



CRS 9202
Skypod
hip rafter end cap



CRS 8211
Glazing stop
(CRS8628Glazing
stop screws)




CRS 9611S
Stainless steel
glazing stop
(CRS8628Glazing
stop screws)


ASSEMBLIES

Ridge assembly


Powder-coatedaluminium, thermally broken




Hip assembly



Rafter assembly




Ring beam on kerb assembly




Iconiq Technical Information

iconiq


ALUMINIUM COMPONENTS




ICQ4501A
RafterBeam
Material: Extruded Aluminium
ICQ4501AW – White
ICQ4501AGY1M – Matt Anth Grey
ICQ4501ABKM – Matt Black




ICQ4516A
RafterBeam Top Cap
Material: Extruded Aluminium
ICQ4516AW – White
ICQ4516AGY1M – Matt Anth Grey
ICQ4516ABKM – Matt Black




ICQ4502A
HipBeam
Material: Extruded Aluminium
ICQ4502AW – White
ICQ4502AGY1M – Matt Anth Grey
ICQ4502ABKM – Matt Black




ICQ4517A
HipBeam Top Cap
Material: Extruded Aluminium
ICQ4517AW – White
ICQ4517AGY1M – Matt Anth Grey
ICQ4517ABKM – Matt Black



ICQ4520A
RidgeBeam
Material: Extruded Aluminium
ICQ4520AW – White
ICQ4520AGY1M – Matt Anth Grey
ICQ4520ABKM – Matt Black



ICQ4555A
EavesGlazing Closure
Material: Extruded Aluminium
ICQ4555AW – White
ICQ4555AGY1M – Matt Anth Grey
ICQ4555ABKM – Matt Black



ICQ4521A
RidgeBeam Top Cap
Material: Extruded Aluminium
ICQ4521AW – White
ICQ4521AGY1M – Matt Anth Grey
ICQ4521ABKM – Matt Black



ICQ4511A
RafterEndCap
Material: Cast Aluminium
ICQ4511AW – White
ICQ4511AGY1M – Matt Anth Grey
ICQ4511ABKM – Matt Black



ICQ4512A
HipEnd Cap
Material: Cast Aluminium
ICQ4512AW – White
ICQ4512AGY1M – Matt Anth Grey
ICQ4512ABKM – Matt Black



ICQ4522A
2-WaySpider Top Cap
Material: Cast Aluminium
ICQ4522AW – White
ICQ4522AGY1M – Matt Anth Grey
ICQ4522ABKM – Matt Black



ICQ4570A
Thermal Core Security Clip
Material: Extruded Aluminium



ICQ4523A
3-WaySpider Top Cap
Material: Cast Aluminium
ICQ4523AW – White
ICQ4523AGY1M – Matt Anth Grey
ICQ4523ABKM – Matt Black




ICQ4524A
4-WaySpider Top Cap
Material: Cast Aluminium
ICQ4524AW – White
ICQ4524AGY1M – Matt Anth Grey
ICQ4524ABKM – Black

NYLON COMPONENTS




ICQ4980
SpiderBolt Kit
Material: Moulded Nylon
ICQ4280 Insert Retaining Screw
ICQ4281 M8x110 Cap HD Screw
ICQ4282 M8 Washer


uPVC COMPONENTS




ICQ4011W
RafterThermal Core
Material: Extruded uPVC
ICQ4011W – White



ICQ4012W
HipThermal Core
Material: Extruded uPVC
ICQ4012W – White



ICQ4021W
RidgeThermal Core
Material: Extruded uPVC
ICQ4021W – White



ICQ4053
EavesBeam Seal
Material: Extruded uPVC
ICQ4053W – White
ICQ4053GY1 – Anth Grey
ICQ4053BK – Black



ICQ4290
Rafter/Hip End Cap Plug
Material: Moulded Plastic
ICQ4290W – White
ICQ4290GY1 – Anth Grey
ICQ4290BK – Black



ICQ4291
Spider Plug
Material: Moulded Plastic
ICQ4291W – White
ICQ4291GY1 – Anth Grey
ICQ4291BK – Black

STEEL COMPONENTS



ICQ4654S
EavesCorner Cleat
Material: Steel



ICQ4601S
Glazing Security Clip
Material: Pressed Steel



ICQ4627S
Security Screw
4.8x30mm
Material: Steel BZP



ICQ4651S
Eaves Frame Screw
7.5x80mm
Material: Steel BZP



4.8x50PHSCREW
Philips PanHead
Screw 4.8x50mm
Material: Steel BZP



4.8x22SDCSSCREW
Philips SelfDrilling
Screw 4.8x22mm
Material: Steel BZP



ICQ4650S
Eaves Beam GRP
Screw 4.8x25mm
Material: Steel BZP



M8x20BHSETSCREW
Button Head Screw
M8x20mm
Material: Steel BZP




4.8x38CSSCREW
Philips SelfTapping
Screw 4.8x38mm
Material: Steel BZP




3.5x32PHSCREW
Philips Screw 3.5 x 32mm
Material: Steel BZP

GRP COMPONENTS



ICQ4350
Eaves Beam
Material: Pultruded GRP
ICQ4350W – White
ICQ4350GY1M – Matt Anth Grey
ICQ4350BKM – Matt Black



ICQ4250
EavesCorner LH
Material: Moulded GRP
ICQ4250LHW – White
ICQ4250LHGY1 – Anth Grey
ICQ4250LHBK – Black



ICQ4250
EavesCorner RH
Material: Moulded GRP
ICQ4250RHW – White
ICQ4250RHGY1 – Anth Grey
ICQ4250RHBK – Black



ICQ4251
EavesRafter Bracket
Material: Moulded GRP
ICQ4251W – White
ICQ4251GY1 – Anth Grey
ICQ4251BK – Black



ICQ4263
RidgeRafter Bracket
Material: Moulded GRP
ICQ4263W – White
ICQ4263GY1 – Anth Grey
ICQ4263BK – Black




ICQ4208LH
Jack Rafter Bracket
Material: Moulded GRP
ICQ4208LHW – White
ICQ4208LHGY1 – Anth Grey
ICQ4208LHBK – Black



ICQ4208RH
Jack Rafter Bracket
Material: Moulded GRP
ICQ4208RHW – White
ICQ4208RHGY1 – Anth Grey
ICQ4208RHBK – Black



ICQ4209LHBK
JackRafterInsert LH
Material: Moulded GRP
ICQ4209LHBK – Black



ICQ4209RHBK
JackRafterInsert RH
Material: Moulded GRP ICQ4209RHBK – Black



ICQ4210BK
Rafter / Ridge Insert
Material: Moulded GRP
ICQ4210BK – Black

ICQ4260BK
RidgeLock Plate
Material: Moulded GRP
ICQ4260BK – Black

ICQ4261BK
RafterLock Plate
Material: Moulded GRP
ICQ4261BK – Black

ICQ4262BK
HipLock Plate
Material: Moulded GRP
ICQ4262BK – Black

ICQ4211RED
Q-Lok
Material: Moulded GRP
ICQ4211RED – Red

ICQ4222
2-Way Spider
Material: Moulded GRP
ICQ4222W – White
ICQ4222GY1 – Anth Grey
ICQ4222BK – Black

ICQ4232BK
2-Way Spider Insert
Material: Moulded GRP
ICQ4232BK – Black
(Part of Kit ICQ4932BK)

ICQ4223
3-Way Spider
Material: Moulded GRP
ICQ4223W – White
ICQ4223GY1 – Anth Grey
ICQ4223BK – Black

ICQ4233
3-Way Spider Insert
Material: Moulded GRP
ICQ4233 – Black
(Part of Kit ICQ4933BK)

ICQ4224
4-Way Spider
Material: Moulded GRP
ICQ4224W – White
ICQ4224GY1 – Anth Grey
ICQ4224BK – Black

ICQ4234BK
4-Way Spider Insert
Material: Moulded GRP
ICQ4234BK – Black
(Part of Kit ICQ4934BK)

FOAM COMPONENTS

ICQ4442BK
2-Way Top Spider Gasket
Material: Closed Cell Foam
ICQ4442BK – Black
(Part of Kit ICQ4932BK)

ICQ4443BK
3-Way Top Spider Gasket
Material: Closed Cell Foam
ICQ4443BK – Black
(Part of Kit ICQ4933BK)

ICQ4444BK
4-Way Top Spider Gasket
Material: Closed Cell Foam
ICQ4444BK – Black
(Part of Kit ICQ4934BK)

ICQ4432BK
2-Way Btm Spider Gasket
Material: Closed Cell Foam
ICQ4432BK – Black
(Part of Kit ICQ4932BK)


ICQ4433BK
3-Way Btm Spider Gasket
Material: Closed Cell Foam
ICQ4433BK – Black
(Part of Kit ICQ4933BK)

ICQ4434BK
4-Way Btm Spider Gasket
Material: Closed Cell Foam
ICQ4434BK – Black
(Part of Kit ICQ4934BK)

iconiq


Iconiq Technical Information

25° RIDGE ASSEMBLY




ICQ4521A Ridge Beam Top Cap
ICQ4021W Ridge Thermal Core
ICQ4520A Ridge Beam

RAFTER ASSEMBLY




ICQ4516A Rafter Beam Top Cap
ICQ4011W Rafter Thermal Core
ICQ4501A Rafter Beam

HIP ASSEMBLY



ICQ4517A Hip Beam Top Cap
ICQ4012W Hip Thermal Core
ICQ4502A Hip Beam

EAVES ASSEMBLY



KERB PARAMETERS INCLUDING ROOF COVERING & PLASTERBOARD

WIDTH: 115mm (MIN)
118mm (MAX)


HEIGHT: 150mm (MIN)
BS 6229:2018

ICQ4350 GRP Eaves Beam
ICQ4053 Eaves Beam Seal
ICQ4555A Eaves Glazing Closure


luma

Luma Technical Information

ALUMINIUM COMPONENTS




FRL5501A
Luma Double Glazed OuterFrame 6.5m
FRL5501AW – White
FRL5501ABK – Matt Black
FRL5501AGY1M – Matt Anthracite Grey



FRL5502A
Luma Triple Glazed OuterFrame 6.5m
FRL5502AW – White
FRL5502ABK – Matt Black
FRL5502AGY1M – Matt Anthracite Grey



FRL5503A
Luma OuterFrameCorner Bracket
Pack Quantity: 8



FRL5504A
Luma Outer FrameCorner Cleat
Pack Quantity: 8

STEEL COMPONENTS



FRL5601S
Luma FixingStrap
Pack Quantity: 10



FRL5602S
M6 x 12LG PanHead Screw
Pack Quantity: 100




FRL5603S
4.2 x 16LG SelfDrill CS Screw
Pack Quantity: 100



FRL5604S
5.0 x 50 CounterSunk Wood Screw
Pack Quantity: 10

PVC COMPONENTS



ET12564
2-Part EdgeTrimWhite 5m
Pack Quantity: 5

ANCILLARY COMPONENTS



FRL5401GY
Ø10mmBackingRod
1150m Roll



FRL5402BK
Structural Glazing Tape
85x3mm 15m Roll



FRL5403BK
Formoa 066Black
Sealant / Adhesive
290ml Tube

MANUFACTURING JIGS



ESJ17001
Luma CornerBracket Drill Jig



ESJ17004
Luma GlassAssembly Guide



MADE & RECYCLED
IN THE UK

eurocell

Product specification is subject to change without notification. Please also note that colours shown are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.